



**YOUR WIND  
PARTNER**

# YWP Emergency Power 33-220kVA

**Backup power - YWP Power Trailers 33-220kVA**



	Standard version	Options
<b>Dimension (L x W x H)</b>	2.6 x 1.1 x 1.9m	--
<b>Weight</b>	Total - 1400kg	Up to 2500kg
<b>Power<sup>1</sup></b>		
Output power	33kVA	Up to 220kVA
<b>Output<sup>2</sup></b>		
1x400V – EEC three phase socket	63A	--
1x400V – EEC three phase socket	32A	
3x230V – EEC single phase socket	32A	
2x230V – EEC single phase socket	16A	
<b>Engine<sup>3</sup></b>		
Type	Yanmar 4TNV98T	--
Max power	46,1 HP	--
Colling system	Water	
Fuel consumption (75% load)	6,4L/h	
<b>Fuel<sup>4</sup></b>		
Diesel		
Integrated fuel tank	Min. 140L	--
<b>COC document</b>	✓	--
<b>Max 100 km/h</b>	✓	--
<b>Fire extinguisher</b>	✓	
<b>Bunded base (spiltray)</b>	--	✓
<b>Engine heater</b>	--	✓


<sup>1</sup> Can be ordered with different power range. 33kVA, 44kVA, 110kVA, 132kVA, 143kVA, 176kVA, 220kVA.

<sup>2</sup> The amount and type of sockets can change according to size of generator.

<sup>3</sup> The engine and fuel consumption can differ according to size of generator.


<sup>4</sup> Fuel tank size may differ according to size of generator.

**“Super silenced power generator – 1500 RPM. Easy deployment in field because of trailer”**



**Back-up power in case of blackout or off grid power need.**

**Back-up power generator, installed on a Böckmann trailer for easy deployment in the field.**



**Emergency power where you need, when you need it – moveable power source in case of weather events.**